

7-15-88

STD ERV Protocol

△ ASSUMPTIONS

- Viewer has taken had relor. TR. (ACS) <sup>no form</sup> - step procedure
- self conducted
- no tab. ATM.

□ Predicted □ one type (of many) form. type of session.

↳

I → A gives an envelope ... (on every out) <sup>given recd.</sup>

- interviewer

inference of request ↗

- + real coord outside
- 3x5 card with questions target out.
- + Boch. etc.
- encryts it.

I 2. "Target is in Envelope." ]

App.

3. the hold envelope ... or + holds

4. run to going in ... ~~done~~ / detected  
physical artifact  
(with)

5. stop rel light on no to write.

6.

6. names talks

7. (in 1940s) mid zone ACS - a sanctuary

↳ Ref. to mid... somewhere is a place where you feel safe in -

trip... → no description.  
~ xfer → go back to place

then, Gen Encrypt ~~RT~~ could -

↳ gen. decrypter  
↳ →

they talk: → stop only when re analytical (not RT RT).  
10- -- wh -- no analysis - -

Break it down = characteristics of -  
- describe it =

0  
00  
IFZ  
FFRT, OK, IF left (stop).

BS = .40 MIN (1 days mod)

4

- ± Unit 14 - Section Director.  
- in series... ≡

next phase

→ ok. - managing - - wired down  
- Go back to 'S'  
-  
- ± unit reports gestalt.

- New in Sanct. ... New recall what you have seen  
gestalt  
Look in MIV ... so have more left brain in it.

- Engaged - Now - Put together - -  
- analysis occur  
↳ trial ask  
↳ New draw

what is 25-25% STJ - - units idea in Narrative form

0  
0

now put in recdable form : ... + post session  
what was given to √ to ±

□ knowled of target <sup>at car</sup> increase with sess. #.

← time frame - - area 2 extra sessions

↙  
but .. trade off... LIMIT ... how many  
data.