

Paul
2 mwd 87
Fr. Woods, MD
Ed
10 36

S 41

52. D AI EI T I ALL AS

grass
flwr
spruce
road
bush
spruce

Silver
white
cream
Sunny

AI B/C
Pleasant

S 4 1/2 parts of area are "park-like." Landscaped

Slightly
hilly
contoured

S 4 1/2: Trunk maybe unkn. round, but at very least
is enclosed

SVI

52

D [] E [] T I A2 Als


5 1/2 things along track each allow optical adjustment/calibration, leveling. Same purpose as shims to make the barrel of a Weaberby rifle as perfectly straight as possible.

5 1/2 also ~~also~~ contains adjustment "mechanisms" that in these whatever passes through the track as well.

5 1/2 areas to basement area strictly controlled.

Als
idea
"dyname"

5 1/2 "chunks" is gotten to the track, almost like it's "reflected" down a long passage, highly polished, smooth non-functional. Non-absorptive; non-reactive/interactive;



5 1/2 track - at least w/in basement areas - have access plates that can be removed to expose inner workings of track.

5 1/2 2nd bldg is necessary to perform thing that can't be done until "chunks" has been on/in the track for a while i.e. - altering charge, fields.

symbolically represent the incident actually takes place
yellow or blue: luminous

SUI

4

3 1/2

D

AL

EI

I
Break

I

AD

AS

Target
area

have
artificial
lit

windpipes

Controlled
condition
shielded

5 1/2 want to cut down on as many variables + interferences as possible

vacuum

AI BK
slightly
clamped

5 1/2

clamped - but meant for a lot of people to be there. No one is actually in the chamber when impact occurs but are nearly monitoring remotely - i.e. in the next room. Some ^{of the desired} information can be obtained from instrumental readings alone. But some must be obtained by inspecting the target itself + analyzing detectable remains of "projectile" itself.

1128

