

⑥

SECRET/NOFORN-SKEET CHANNELS ONLY

PROJECT SUN STREAK (U)WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

CRV Session Procedures Report (S/NF/SK)

Control Number	: 8704
Date of Session	: 26Mar87
Date of Report	: 26Mar87
Source Identifier	: 003

SG1A

1. (S/NF/SK) Tasking: Original tasking data sheet attached. Monitor briefed [REDACTED] on 24 Mar 87 and requested to place collection emphasis on this specific aspect of the site.

2. (S/NF/SK) Session: Source a little lethargic. Session began in S4 after a review and refamiliarization/orientation using the area sketch produced during source's 24 Mar 87 session (sketch attached). S6 was employed at one point to determine whether or not anything passed in/out of the structure. Source feels that he has exhausted the signal line with regard to this target. Monitor asked source, once again, if he could attempt a sketch of the target. Source demurred, stating only that it was "massive, deep, and curved" which produced constant AOLs of "dam".

3. (S/NF/SK) Summary: Same basic description of structure as in earlier sessions. A/S of "radiation sign". Structure has a function of containing/surrounding vs enclosing. Within the structure, at the bottom, is a metal object ("protected, anchored, cushioned; containing, shielding") that is faceted or domed, curved and rounded. The top of the object may be unlatched to inspect the contents, which are dark grey, "implicate" (?), intricate, fixed, bumpy yet smooth, rounded and angled with interstices. "Pieces" are involved. People are present wearing uniforms or suits, whose tasks include monitoring, observing, inspecting, adjusting, reporting and making sure that parameters are maintained within the proper range (AOL-"reactor"). This place is not where people would prefer to be; people stay away purposely unless forced by duty obligations to be there. They feel that their job is important, but potentially dangerous; it is not pleasant, but the knowledge that "somebody has to do it" imbues them with a certain

SECRET/NOFORN-SKEET CHANNELS ONLY


CLASSIFIED BY: DIA-DT
DECLASSIFY : OADR

SECRET/NOFORN-SKEET CHANNELS ONLY

feeling of pride. Nothing leaves this structure except for information (status checks, reports, etc.)--its function is to make certain nothing gets out. However, during periodic maintenance or repair periods, something dangerous (debilitating, life threatening) may escape that seems to take the form of streams of particles rather than random molecules. (AOL-"radiation, chemical, bio").

4. (S/NF/SK) Feedback: Source was told that monitor would require further guidance from the ops officer prior to revisiting this site.

SG1J



SECRET/NOFORN-SKEET CHANNELS ONLY

Project FV 8704

Interviews, Monitor Tasking

1. Describe the area (purpose of) located vic:

SG11




↳ (area maps to ...)

2. Describe the structure(s) located 6km SW of the above area.

personnel, activities, equipment, etc.

3. to be announced



Paul
26 Mar 87
A. W. M. M.
EJ
1031

S.2

D

A2

E2

T

I

ADL

A/S

Cement

thick
massive
open
deep
high
width
Circular
angular
large

ladder

orange

also

As BK
very open

red

downed


A/S
radiation
sign

"fenced off"
Sign vegetas

S2 P A2 E2 T I H/L H/S

large-seat

controlling
"heavy-duty"
large-seat



S4/2 outside function as opposed to inside - around instead of enclosing

brown

S4/2 dark - as in out of the sun

cool
quiet

metal
object

rounded

containing

as
blue

walkway

5 2

FI

FI

I

I

W L #15

holding
supporting
shredding
perfecting
SECURITY
"anchoring"
cushioning

APPLICABLE
SEISMOMETER
COSMIC RAY
DETECTOR

inside

dark
gray
input

complicated
intricate

for use
electronics

firm
fine

"piece"

smooth
together

bumpy
round
angled

smooth
constant res

#1

#2

T

I

ADL

#15

5 1/2 like you could unlatch the top half - like a cover - & lift it off to get at the insides.

7 1/2 object sits there. Other keys nearby. These to be used on occasions when necessary. "Like" it monitors

people workers

5 1/2 uniforms & suits - specific tasks going to be automatic since certain stability or steady state or range of ^{limited} fluctuations & a status quo is maintained.

observe
inspect
adjust
report

instrument monitoring

ADL IBK
reactor

5 1/2 place is not one where people would prefer to be. people stay away on purpose unless forced by duty to be there.

52 D AI FI T I AOL AL

5 1/2 sense that nobody "comes out," or it's so very rarely - & there's only for maintenance or repair "type" activity.

Information comes out - status checks, reports, etc. Designed so nobody gets out.

5 1/2 people working feel job is important, but potentially dangerous. Not exactly pleasant, but "somebody has to do it," & they're a little proud of that.

Exposure
debits
life threatening

Yellow
~~Yellow~~
Vaporizing
thin

5 1/2 molecular level = AOL/AOL-S/sound of structure of particles - vs - random molecular wandering of vapor.

Do not
of vibration,
chemical,
bit

Structure is tall ~~and~~ deep, wide, with thick, very massive concrete walls. Idea of structure is to "surround" rather than "enclose". Down deep is at least one object which exteriorly is ^{or domed} vaulted, curved, rounded with the idea of ~~something~~

being "held", "contained", "shielded", "protected", "secured", "anchored", or "cushioned". The "top" might be unlatched & removed to access ^{the contents,} which are ^{data} "frag", "implicants", intricate, linked, files, small, together, bumpy, yet smooth, rounded & angled w/interstices. "Pieces" are included

1123