

Handwritten signature and date: 29 MAR 88


~~SECRET~~/NOFORN - HANDLE VIA SKEET CHANNELS ONLY

PROJECT SUN STREAK (U)

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

PROJECT NUMBER: 8802	SESSION NUMBER: 1
DATE OF SESSION: 28 MAR 88	DATE OF REPORT: 29 MAR 88
START: 1445	END: 1515
METHODOLOGY: CRV	VIEWER IDENTIFIER: 095


SG1B



2. (S/NF/SK) VIEWER TASKING: Coordinates only. At the beginning of Stage 4, 095 was informed that there were certain EEI that should be addressed. Also, in Stage 6, 095 was instructed to sweep a time line, from recent past to near future and note and changes to (presently empty) area.

3. (S/NF/SK) COMMENTS: The viewer addressed the key EEI immediately - excellent session. There is an extraordinary amount of correspondence between 095's data and that produced during 011's 22 Mar 88 session.

SG1J



CPT, USA

~~SECRET~~/NOFORN - SKEET CHANNELS ONLY

Session Summary

Viewer 095
28 March 88
Start 1445
End 1515

Site is a large (long and wide), low, 'boxy' structure on land with water somewhere nearby. The structure is white/gray and has a rough texture. Inside the structure is a large empty room with a high (12 ft or so) ceiling. The room is dingy and dark. The floors are bare and echo when walked on. Near one corner is a low door. In moving in time from the near past to the near future the room remains bare. In the early near future there is a sickly sweet chemical smell (AOL hospital smell) in the room. On the floor, at an angle is a low, (long rectangular object (AOL box/mattress). It is hard but gives (don't know if it dents or the whole thing moves) when you kick it.

Handwritten notes:
The smell is very strong
and it is very hard to
describe. It is like a
hospital smell. (es)

0095
FGCM
28 Mar 88
1495

PI
AV

mitsbk

275601
958588



A. Aaoss
fluidy

B. —

275601
958588



A. wavy aces
fluidy

B. water

275601



A. dirged up
ryle aces

man made

B. structure

S-2
white
rough
cool

Miss BK

275601

958588

miss 6k

275601

958588

275601

958588

A. across
very hard.
B. hard.

S-Z
dark
flat

Ac-BK
20ky.

miss 6k

275601

958588

275601
958588

A. Across and
ding red up edge
across
hard


B. via rule
B. 2 to 10 A

Ac-BK
chips on
terracing

3

SZ
guy
with
long
hair
angles.

Adok
Angus



Interior survey:

Site is hard water structure with food.
Structure is large, long & wide, low,
Sides of structure feel rough.

S-2 D AI EI T I AOC AOC/S

connected
roof.

[inside]

boxy

one floors.

empty

high.

Stylo

S2 D AI EI T I AOC AOC/S

AI BK

dark

dark

dinky.

smooth floors

AI BK

nausea/vertigo

AI BK
hospital.

stuck

smell

person

AOC BK

truck


Army

usides

S4/2: Approved For Release 2000/08/08 : CIA-RDP96-00789R000301070001-0

Like (AOC) smells associated with hospitals.

Army situation




6

S-2 D AI EI T I AOC AOC/S

low.
rectangular.

Boyle
motors.

SA/2



Ad.
Box.

1518.