

SECRET/NOFORN - HANDLE VIA SKEET CHANNELS ONLY

Viewer 099 Session Report
Date: 28 Sep 88
Time: 1105 - 1148

Summary: Unlike 'L1' (a 'flawed end product'), L2 is perceived as possessing the characteristics of an 'upgraded' piece of equipment, as if the capability of something in the (AOL-Soviet) inventory had been 'enhanced' through a technical change--like new components/assemblies--perhaps to the point where the thing/system could even be employed in a new functional role. An 'electronic box' seems to be especially important in this regard.

Also, the gesthalt of 'directionality' is somehow associated with this thing, but the idea must be explored further...


SECRET/NOFORN - SKEET CHANNELS ONLY

CLASSIFIED BY: DIA-DT

28 Sept 88 099
1105

S₀ 0 02 07 T 2 AOL M/S

[OBJECT L₀]



inset

stuck

build

pegs

M/S Am/2

[OBJECT L₁]

AOL-

smoke

canal

metallic


shiny

grey
dark

AI- nice feel

unfired

lit. tube. might



S₂

D AI IE T I HCL only

padding

constitute

prove

tubule
heavy

silly

wait evaluate

4 1/2 - ^{man} at part A parts, piece

exact fitting
inside

"let it gets filled up"

must be moved to be evaluated

look at "let" stood up" in all its gleaming
beauty

AI - nice,

upper

components

S4 1/2 - not like a gamble, but ~~it~~ approval for its
constitute was look of out-a-limb economically.

not a prototype - let shopping.

[L₂]

4 1/2 - similar in cost to L₁, "let" a gun have been improved by being "

[L₂]

work
operator

[PASS]

[PASS]

integrate with other than

incorporate into

ASL-
systems

acceptable
accepting

S4 1/2 - leaves production and goes away to fulfill

4 1/2 - people look/water for the same or similar "flaws" as appear in other things

do not see to be present

L2

L2

d

Seems to be taken by

4 1/2 - like you saw a 250-28-4 to short day
teletype - would get by not original content.

one-time, direct

high-angle
low angle

L2 present

This "signature" ~~was~~ has not changed
technique, but has been taken out of ~~the~~ the hand of
an technician user and passed to another technician user.
The tech use is different -

S₂

D

AI

U2

T

2L

no

A/S

[NEW USE]


S₂: A/S - W₂ or TMS-65 - origin ind was not - (ALCON OL)

[NEW USE]
L₂

high

no -
hypoxia

mountain



hot

high

cold

thin air

no -
let an
over

no -
jet engine
in the
atmosphere

mountain
guaging

Composite

improving
upgrading

A/S
like a
flow meter

AOL - like an
upgraded jet engine

4^{1/2} - not - L2 the "shell" is not new but components/
assemblies are. Like an pre-existing airplane to replace
with modification.

4^{1/2} - New part/assembly are very new, do a lot of things.

no

modules

electron

4^{1/2} - makes the system operate like an
entirely new system. Virtually a new item.

A/S -
like
plug in component
parts

[Function]

S2

12

12

T

2

m

1/5

8

~~_____~~

4% ~~It is an extra sense for the detection farther~~
~~_____ more accurately than before - more precise~~

A/S-directional
Acc-tube

Directional
Object

Directional
Pulse Count

~~_____~~
 bou sicks
 outward
 the
~~_____~~
~~_____~~ at a distance

detects or target
specify they

^{per}
~~me they emit~~

~~_____~~

again

very small
by using
~~_____~~

S2 0 A- 02 T 2 me n/

electron

main part

4 1/2

~~the mounted box is made by a~~
~~see "the electron tube" and is~~
~~designed to greatly improve the performance~~
~~of the present system~~

AOI -
gyro
indicator

AOI Soviet

SG1A

Approved For Release 2000/08/08 : CIA-RDP96-00789R000400700001-0

Approved For Release 2000/08/08 : CIA-RDP96-00789R000400700001-0