

~~SECRET~~/NOFORN

PROJECT SUN STREAK

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

PROJECT NUMBER: 5149	SESSION NUMBER: 01
DATE OF SESSION: 6 JUNE 89	DATE OF REPORT: 6 JUNE 89
START: 0900	END: 0955
METHODOLOGY: WRV	VIEWER IDENTIFIER: 025

1. (S/NF/SK) MISSION: Identify and describe a target object, its purpose, function, and status.

2. (S/NF/SK) VIEWER TASKING: Viewer tasked with requirements reflected in Para 1, above.

3. (S/NF/SK) COMMENTS: No inclemencies noted. 025 encouraged to dump data regarding target requirements; to report conceptually; and use colors sparingly. A Summary of Information is attached to this report. A second session will be utilized to access and describe the final function of the target object.

4. (S/NF/SK): EVALUATION: 3

b

Follow up with session against target

HANDLE VIA SKEET CHANNELS ONLY

~~SECRET~~/NOFORN

CLASSIFIED BY: DIA (DT)
DECLASSIFY: OADR

~~SECRET~~
WORKING PAPER

5149
B90606
V: 025
S: 01

SUMMARY OF INFORMATION


The targeted object originated from blue prints for a specific mission. The plans have been revised for more cost efficient means and to yield greater skill from the aircraft. Intermittent signals are used for ciphering and deciphering (computer data). The purpose of the aircraft is to observe objects below and render them useless. This aircraft has a spinning motion and a perpendicular front portion which reacts as a feedback system to frustrate the enemy. See attached sketches. The mission has not yet been accomplished and the aircraft is not currently in use.

*The motion of horizontal to vertical,
the concept of cushioning (how cushioning)
is important.*

*- The idea or implementation of the
idea (object), although government,*



HANDLE VIA SKEET CHANNELS ONLY

*sponsored is at a standstill; it is
not completely accomplished.*




Handwritten signature or scribble, possibly reading "M. J. ..."

" By Hand
purpose "



Handwritten text, possibly "Merrill" and "Merrill".

3



turn over
→

