

~~SECRET~~/NOFORN - HANDLE VIA SKEET CHANNELS ONLY

PROJECT SUN STREAK (U)

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

-----

PROJECT NUMBER: 8815	SESSION NUMBER: 1
DATE OF SESSION: 14 SEP 88	DATE OF REPORT: 19 SEP 88
START: 1000	END: 1040
METHODOLOGY: SOLO	VIEWER IDENTIFIER: 011

-----

1. (S/NF/SK) MISSION: Access, describe, and identify an object: Target "B".
2. (S/NF/SK) VIEWER TASKING: 011 was provided with coordinates only.
3. (S/NF/SK) COMMENTS: None, next session will be a monitored follow-up.
4. (S/NF/SK) EVALUATION: [ ] 3 D

SG1J



~~SECRET~~/NOFORN - SKEET CHANNELS ONLY

CLASSIFIED BY: DIA-DT  
DECLASSIFY : OADR

## SESSION SUMMARY

VIEWER: OII  
DATE: 14SEP88  
START: 1000  
END: 1040  
METHOD: SOLO

THE BULK OF THIS SESSION FOCUSES ON A RARE UNUSUAL MATERIAL. THIS MATERIAL IS VERY STRONG, LIGHTWEIGHT, AND HEAT-RESISTANT. THIS MATERIAL SEEMS TO BE COMPOSED OF RARE-EARTH ELEMENTS, SOME KIND OF CERAMICS, OR, MORE LIKELY A COMBINATION OF BOTH. THIS MATERIAL IS QUITE RIGID AND CANNOT BE FORMED EASILY. IT MUST BE SHAPED DURING THE MANUFACTURING PROCESS DUE TO ITS CRYSTALLINE NATURE.

AOLs: HAS A TEXTURE AND GREY COLOR LIKE ANNOXIDIZED METAL  
LIKE TITANIUM  
HIGH-TECH  
SPACE-AGE

hung

A across, curving up, vertical  
up, angle across, incline down,  
curving down  
hard  
B. structure

hung

A loop, curving up, loop,  
across, flat  
soft  
B. water / liquid

through

A. curving up, over, around  
curving up, loop, down  
missed break

through L L

A. vertical down, angle across  
" " " "  
" " " "  
hard  
B. structure

5-2  
hard  
black  
smooth  
cool  
hard  
tall  
flat  
angles  
incline

S-2

D

AI

EI

I

I

AOL

A/s

black  
shiny  
hard  
smooth  
cool

incline  
angle  
flat

AOL BREAK  
Like anodized metal  
Like titanium

rare metal

black  
dark grey

strong  
lightweight  
heat resistant

4 1/2 - getting the impression of some sort of unusual material composed of rare elements, or ceramic, or a combination thereof. This material is very strong, lightweight and extremely heat resistant. But is quite rigid and must be formed into angles. —>

Crystalline structure at the atomic level

-> This material is definitely not ductile or malleable.

This material must be formed or shaped during the manufacturing process. Once it is set it cannot be cut or formed

friction resistant

AOL Break  
slippery-like  
teflon

NO DRIVE  
BREAK