

Paul
7 May 87
F.F. Wanda, n.d.
Ed
1:29

SVI

S.2

D

AI

EI

I

I

Avk

Als

fluctuates
waves

Pulse

rhythmic

regular

rapid


directional

Als like polarized; out-placed

Avk
beam
energy
weapon

Als

DNA - molecular
shape



bubbles
on
string

target
structure

staccato
sound

voan

sequential
direction

St^{1/2} - method/care of effects on target structure not apparent
to visual perception.

52 D AZ FZ T I Az Ag

direction


→ 1/2 direction from which cause of effect comes, is side, slightly up angle, almost parallel to general horizon

Some of "wiggly" to course the course follows.

Az Bk
like
legitimate
bold in
sky

54/12/AZ/S like 2 components - designators, and "course"

Az Bk
like
laser designator
+ smart missile



S U I

4

22

D A I E J T I

plg

object

Smooth

x round

shiny

metal

5-1/2 "fancy shaped," various different shapes, protrusions, angles, substructures, suppt. on "legs"/"protrusions" landing gear "like" springs loaded or "bouncies".

Little internal empty space.

wires
cables

circuits

electronic
parts

guiding
mechanisms

project by
controlling

I FF
circuits

5-1/2 system operates so rapidly, specially designed I FF necessary to prevent accidental destruction of friendly/neutral targets.

SUI

5

52

D

AZ

EI

T

I

AK

AG

5 1/2 part of object capable + necessary of rotation
+ declination etc.

pinion operates

single
inside

protected
controlling

5 1/2 "goes with" system/object..

BoL Bk
Belly gun
TAB-25

hydraulic
part
hose
couplings
fluid
pressure

5 1/2 rapid direction changes

52

D M EI

SVI

self-contained

S4/2

but after prolonged use requires replenishment
Severely mobility capabilities.

resupply

liquid
solids

like fuel
cell

refueling

substance

sublimation
solid-to-vapor
volatile
hermetic

S4/2

unit-for-unit replacement; connecting, disconnecting,
switching; recharging, spent unit (very involved process)

slow
elevation

sounded

S2

D

A2

E1

T

I

SVI

arabidgy
noise

instantaneous

burning
flashing

like
welding
or
sparkles

very
high

kind
swell

charring
fusing
burning

Spalling

S-1/2 can't say, but is tenacious feel of substance to it.

S-1/2 not always dependable; design "bugs". Mixed blessing.
sometimes fails to function embarrassingly. Usually

Sub-system weakness. So complex that optimum
performance parameters seldom completely met. Designer
always works to correct shortcomings. But problematic

SV I

JOL #6

S 2

because of certain physical principle in susceptibility.

red
blue
yellow

point =
circle



star

for Bk
script
Flag


Orangeish
red

Yellow


black

for inner
border

gold



#1



Side view of ~~the~~ rounded, angled, shifty object examined with wires, ~~base~~ hoses, electrical connections, subsystems + assemblies, and one person; it is supported on legs/outriggers/land by ~~gear~~ gear that is damped/shock absorber equipped. Object has some degree of mobility potential. Seems also to be a major component of a R&D weapons system with unusual characteristics capable of engaging/ targeting at unusual distances. System may possibly be directed/targeted/aimed by a secondary "designator" system located separately from main operative component.

1413