


How Flying Saucers Can Injure You

By O. O. Binder



ITAIPU, Brazil, Nov. 4, 1957—It is 2:30 a.m. on a quiet, moonless night. The garrison of the Itaipu fort is peacefully asleep when two sentries see a new “star” burst suddenly into life over the Atlantic. They watch with detached interest until they realize it is not a star but a luminous flying object coming straight toward the fort. It hovers 120 to 180 ft. above the highest turret. The object is the size of a big airliner but disc-shape and encircled by an eerie orange glow. The two men hear a humming sound—then the nightmare. An intolerable wave of heat strikes them.

One sentry staggers, blacks out. The other has the horrible feeling that his clothes are on fire. He begins to scream and stumble about desperately. His cries awake the garrison. Inside the installation everything is confusion. . .

After the UFO left, it was found that both sentries had first- and second-degree burns on more than 10 per cent of their bodies. The sentry who could talk later was in deep shock.

This account, corroborated by other men at the fort and checked out by UFO investigators, is the most dramatic reported instance of physiological electromagnetic (EM) effects caused by UFOs on the human body.

EM effects are widely reported phenomena, often encountered when a low-level flying saucer is observed. Some sort of field of energy—perhaps related to an electromagnetic propulsion system of a UFO—surrounds each saucer for a distance of 50-200 ft.

EM effects are credited with killing car motors, blacking-out radio, interfering with TV reception, affecting com-



DEAD HORSE on King ranch, near Alamosa, Colo., is tested for radiation. Indication of radiation was found. Flesh was stripped from head and neck and belly, brain and spinal cavities were empty.

CAST of strange indentations is read for radiation. Evidence of UFO landing abounded near carcass. UFOs were seen after it was examined. Widely reported event is further evidence of danger from UFOs.



passes, stopping electric clocks, magnetizing wristwatches, jamming radar in planes and blacking-out electric power systems. UFOlogists believe that the great Northeastern power blackout of Nov. 9, 1965, might have been caused by the 23 saucers sighted at the time, from Canada down to New Jersey.

But the physiological effects on humans are more frightening. The burning skin of those Brazilian guards is not, however, some out-of-this-world effect. Researchers both in the U.S.S.R. and the U.S. show that high-power radar beams cause thermal effects on the skin. But the ray burn is only one of the many weird effects of the UFO's ultra-powerful EM-field. A more serious effect is highlighted in the following reports.

At 1 a.m., Mar. 8, 1967, Mr. and Mrs. William Wallace of Leominster, Mass.,

saw a large white light hovering over a cemetery. Mr. Wallace stopped his car, leaving the motor running, and got out. The car engine stalled, the radio went off, the lights went out; Mr. Williams stood paralyzed for an estimated 30 seconds. Then the UFO moved away, picking up speed and emitting a humming sound. It was 15 to 20 minutes before Mr. Williams recovered full coordination, according to his own testimony.

Sept. 10, 1954, Quarouble, France. Marius DeWilde saw a dark shape on a railroad track, from which emerged two small creatures in "diving suits." Then, he says, "I was no more than six feet from the two forms when I was blinded by an extremely powerful light, like a magnesium flare. . . I closed my eyes and tried to yell but I couldn't. It was just as if I had been paralyzed. I tried to move

but my legs wouldn't obey me. Finally, the beam of light went out. I then recovered the use of my muscles and ran."

Sept. 17, 1954, Cenon, France. M. Yves David was bicycling on a dark night when he felt a strange sensation of discomfort—a sort of prickling or itching all over his body. The sensation continued and before long he was paralyzed. It was then he noticed the dark object parked in the road ahead. From it came a small creature which touched him on the shoulder and uttered a sound, then returned to his UFO and sped away. At the same time, M. David recovered the use of his limbs.

Oct. 16, 1954, near Dieppe, France. Dr. Henri Robert was driving his car when he spied four discs flying in formation in the sky. One of them peeled off and came swooping low over his car.

Dr. Robert says he felt a kind of electric shock and at the same time his engine died and his headlights went out. Dr. Robert then became paralyzed and could not move, as the UFO landed on the road and a little creature he thought to be 3 ft. tall shone a light at him. When the tiny man and UFO left moments later, Dr. Robert was able to move and start his car.

Scientific corroboration for these EM effects abounds. Naval studies in the U.S. prove that beyond skin burns, EM

How Flying Saucers Can Injure You

radiation goes deeper and affects the brain and muscles, causing slowed reactions and partial loss of motor ability.

Another EM research discovery is that eye tissue is particularly sensitive to EM radiation. The following UFO sighting experience is, therefore, especially interesting.

Nov. 10, 1957, Madison, Ohio. Mrs. Leita Kuhn saw an acorn shape, as big as a house, over her garage. She stared in a trance for 30 minutes at the dazzling bright object, her eyes hurting. A few days later, a rash developed on her body and her vision was impaired. Her doctor said her eyes looked as though they had

suffered radiation burns but there was no permanent damage. The rash on her arms and legs might be from shock at what she had seen, the doctor suggested.

All of these physical effects on humans seem to be comparatively mild and temporary—but now we come to something more subtle and serious. John Keel, noted UFO investigator, who has interviewed hundreds of witnesses, says that in many cases friends and relatives describe the UFO-observers as "changed persons." They tend to act detached, as if shaken to the roots of their beings, he says.

One of the most publicized recent victims of EM radiation was a horse named Snippy, who was found dead in mysterious circumstances at a point near Alamosa, Colo. Rancher Harry King, having missed the animal for a couple of days, went looking for him. He found him a quarter-mile from the ranch house. All the flesh had been stripped from his head and neck and nearby there were what seemed to be 15 circular exhaust marks on the ground amid crushed-down brush. A Denver pathologist, called in to investigate, found that the animal's brain, abdominal and spinal cavities were empty. Signs of radiation were present. Mrs. Burl Lewis, owner of the horse, found an object, presumably a tool of some sort, near the carcass. It was covered with horse hair. When she picked it up her hand turned red and began to burn; it continued to do so until she

washed her hands. Later the pathologist and other members of the investigating party saw two UFOs pass over the ranch house.

Elsewhere farmers and pet-owners are complaining of cases in which saucer-men have apparently killed and sometimes dissected their animals. William Watson, Gallipolis, Ohio, found his German shepherd crushed flat inside a perfectly circular imprint. There was no blood. A registered nurse in the same area, having seen saucers above pastures on her farm, ran out with a shotgun one night to chase a man in white cover- [Continued on page 136]

Flying Saucers

[Continued from page 66]

alls. He leaped over a high fence and disappeared. Nearby were cow carcasses, expertly butchered. Near Twin Falls, Idaho, three men saw a saucer come down and make off with a steer they took into their machine. Similar accounts deal with the complete disappearance of calves, pigs, dogs and rabbits; these reports come from various places in the States and from as far away as South America and Italy.

An Italian scientist named Cazzamalli has found that people subjected to EM fields tend to develop hallucinations. Soviet scientists list other adverse effects—memory loss, migraine headaches, insomnia, dizziness, irritability, chest pains and hand tremors.

Obviously it would be wise to follow the instructions of Michael J. Campione, a UFOlogist who has studied the harmful effects of saucer EM fields. He advises in a booklet (*Modern Manual of UFO Truth*) the following precautions:

Auto and Truck Drivers: Should UFO get too close and your engine conk out, get out of vehicle and keep it between you and UFO as protective barrier.

Pedestrians: If in wooded area, get behind a large protective tree trunk. If near building, enter it. If no shelter available, lie on back on ground and cover head, face, neck, arms and hands beneath clothing.

One last observation—it has not yet been proven that UFOs deliberately cause human harm or aim rays at people. The unfortunate results seem to be purely accidental when humans happen to be within a certain radius of a UFO wherein the effects of its powerful electromagnetic propulsion field can harm living matter.

Following the earth researches on EM-effects, the investigators recommend that personnel risking EM radiations (such as near radar installations) should wear a protective suit consisting of a complete coverall, plus gloves, boots, goggles and helmet.

With sightings occurring in the U.S. at the rate of *six per hour*, over 50,000 people may spot UFOs each year. Even if only 7.3 per cent of these are low-flyers or landers, that means almost 4,000 persons will suffer skin-burns, paralysis or worse

AMERICAN