



1
00:00:04,519 --> 00:00:02,929
to the situation where a practitioner is

2
00:00:07,160 --> 00:00:04,529
treating a patient the first thing that

3
00:00:10,100 --> 00:00:07,170
we you know thought about was distance

4
00:00:12,789 --> 00:00:10,110
because I as many of you know that just

5
00:00:15,589 --> 00:00:12,799
believe that she can act at a distance

6
00:00:18,429 --> 00:00:15,599
again move and in this case looking at

7
00:00:22,040 --> 00:00:18,439
this infrasonic component of Chico so

8
00:00:23,380 --> 00:00:22,050
you know we just said well you know does

9
00:00:26,330 --> 00:00:23,390
it happen I mean it does it does it

10
00:00:28,269 --> 00:00:26,340
decrease with this system of course it

11
00:00:31,580 --> 00:00:28,279
does it it acted like we expected so

12
00:00:33,620 --> 00:00:31,590
this would this would you know push it

13
00:00:35,240 --> 00:00:33,630

to the to the idea that we're going to

14

00:00:37,220 --> 00:00:35,250

talk about external chi go home and

15

00:00:39,799 --> 00:00:37,230

Kim's therapy combination you'd really

16

00:00:42,760 --> 00:00:39,809

want to be talking about close up to

17

00:00:46,760 --> 00:00:42,770

going rather than the distance she go

18

00:00:48,590 --> 00:00:46,770

and I want to end with this you know

19

00:00:52,279 --> 00:00:48,600

somewhat provocative reflection on this

20

00:00:53,810 --> 00:00:52,289

because as I said in the beginning with

21

00:00:59,270 --> 00:00:53,820

it my instruction for dumping buckets

22

00:01:03,229 --> 00:00:59,280

there was this a clear instruction by my

23

00:01:05,509 --> 00:01:03,239

teacher that you want to not make the

24

00:01:06,830 --> 00:01:05,519

chi go deep into your head until you get

25

00:01:09,620 --> 00:01:06,840

to your body where you will and let it

26

00:01:13,070 --> 00:01:09,630

penetrate so external to go or internal

27

00:01:15,649 --> 00:01:13,080

chi gong in the case of integrating this

28

00:01:17,929 --> 00:01:15,659

with a chemotherapy treatment you'd want

29

00:01:19,700 --> 00:01:17,939

to do the exact opposite because the

30

00:01:22,490 --> 00:01:19,710

whole point is you want to have a lower

31

00:01:24,859 --> 00:01:22,500

dose of chemotherapy in the body and you

32

00:01:26,270 --> 00:01:24,869

don't want to make those cells more

33

00:01:27,920 --> 00:01:26,280

sensitive to chemotherapy you want to

34

00:01:29,690 --> 00:01:27,930

make the cells inside the skull more

35

00:01:33,710 --> 00:01:29,700

sensitive because that's where you want

36

00:01:36,670 --> 00:01:33,720

to keep it there to be effective so it's

37

00:01:40,700 --> 00:01:36,680

a bit of a flip-flop from from the

38

00:01:42,889 --> 00:01:40,710

normal description of geo at least on

39

00:01:56,139 --> 00:01:42,899

the way that I was taught so and with

40

00:02:04,460 --> 00:02:02,719

yes in concern that kind of energy no we

41

00:02:08,449 --> 00:02:04,470

generally think that the effects are

42

00:02:11,059 --> 00:02:08,459

gonna he mention any key measure it

43

00:02:15,320 --> 00:02:11,069

decided you was connect with you know

44

00:02:17,570 --> 00:02:15,330

altars of the RFS we use when the sin of

45

00:02:21,020 --> 00:02:17,580

the same way and it's got some kind of

46

00:02:24,309 --> 00:02:21,030

sweater effect we under think by he and

47

00:02:29,630 --> 00:02:24,319

may not be uniform of the selectively

48

00:02:32,270 --> 00:02:29,640

frequencies Delta yet another chamber

49

00:02:34,309 --> 00:02:32,280

has a heating element that surrounds the

50

00:02:37,370 --> 00:02:34,319

that p treats so it's actually not a

51
00:02:39,710 --> 00:02:37,380
petri dish you know these cell culture

52
00:02:44,830 --> 00:02:39,720
plate has a metal frame that controls

53
00:02:47,930 --> 00:02:44,840
the heat of this of the of the plate and

54
00:02:50,449 --> 00:02:47,940
so we have a thermistor that we'd set up

55
00:02:52,759 --> 00:02:50,459
actually for the Chico experiments with

56
00:02:55,970 --> 00:02:52,769
actual chi gong practitioners earlier so

57
00:02:58,370 --> 00:02:55,980
we did see confirm that our heat plate

58
00:02:59,840 --> 00:02:58,380
that was controlling the heat so they're

59
00:03:02,000 --> 00:02:59,850
two separate heating elements one for

60
00:03:05,810 --> 00:03:02,010
the plate and one for the outside of the

61
00:03:08,960 --> 00:03:05,820
chamber so we did confirm that the heat

62
00:03:10,910 --> 00:03:08,970
controlling element was was overpowering

63
00:03:19,190 --> 00:03:10,920

any kind of heating that was coming from

64

00:03:21,990 --> 00:03:19,200

the these tissues absorb this energy

65

00:03:24,690 --> 00:03:22,000

yes what ammo so we didn't measure the

66

00:03:27,420 --> 00:03:24,700

temperature of the outside of the cells

67

00:03:30,180 --> 00:03:27,430

so the effect that the cells could could

68

00:03:55,780 --> 00:03:30,190

be due to that I don't know question is

69

00:04:09,910 --> 00:04:01,610

you feel just a little bit of it I have

70

00:04:17,470 --> 00:04:13,510

these American Way of beef jerky I had

71

00:04:20,530 --> 00:04:17,480

to do to Train another question what

72

00:04:22,870 --> 00:04:20,540

happened to the way out thank you for

73

00:04:25,720 --> 00:04:22,880

reminding whales rhinoceros HIPAA

74

00:04:28,540 --> 00:04:25,730

pontiff opotamus giraffe and alligators

75

00:04:43,890 --> 00:04:28,550

are now on the list as well I've using

76
00:04:43,900 --> 00:04:46,999
Oh

77
00:04:47,009 --> 00:04:49,700
how

78
00:04:55,670 --> 00:04:53,540
so I what I'm saying is that these known

79
00:04:58,850 --> 00:04:55,680
components are part of external chi gong

80
00:05:02,480 --> 00:04:58,860
treatment and as distinct as distinct

81
00:05:04,550 --> 00:05:02,490
from chi itself so these were studies

82
00:05:06,890 --> 00:05:04,560
done just to see a note with the known

83
00:05:20,430 --> 00:05:06,900
tools we have what can we measure coming

84
00:05:25,910 --> 00:05:22,740
movies

85
00:05:28,119 --> 00:05:25,920
and not too far off

86
00:05:31,060 --> 00:05:28,129
yeah Ruth

87
00:05:34,360 --> 00:05:31,070
did you

88
00:05:50,759 --> 00:05:34,370

Oh Fred

89

00:05:57,219 --> 00:05:54,449

yeah we went looking for that sweet spot

90

00:05:59,499 --> 00:05:57,229

by choosing these sub pics so we've only

91

00:06:03,729 --> 00:05:59,509

at this point looked at these three that

92

00:06:05,289 --> 00:06:03,739

i showed the 8 8.5 10.5 i should say

93

00:06:07,689 --> 00:06:05,299

there's those were the two sweet spot

94

00:06:09,819 --> 00:06:07,699

attempts and then the 15 were just meant

95

00:06:17,639 --> 00:06:09,829

to be the upper limit of what was coming

96

00:06:25,299 --> 00:06:23,589

drowned my guess is that it's possible

97

00:06:33,959 --> 00:06:25,309

to do that and I'd love to get in there

98

00:06:38,939 --> 00:06:36,899

look to me like you had a very valuable

99

00:06:40,979 --> 00:06:38,949

effects of different cell lines and if

100

00:06:43,119 --> 00:06:40,989

going to your error bars it looked like

101
00:06:46,659 --> 00:06:43,129
only the difficulty

102
00:06:51,040 --> 00:06:46,669
in one of those seven third one after a

103
00:06:54,159 --> 00:06:51,050
values were significant or not the

104
00:06:56,439 --> 00:06:54,169
implication for clinical applications

105
00:07:01,419 --> 00:06:56,449
considering your FX eat only working one

106
00:07:10,299 --> 00:07:01,429
of those so it was significant and

107
00:07:13,809 --> 00:07:10,309
restless now with very significant in

108
00:07:15,780 --> 00:07:13,819
three and yes I think it's that's why we

109
00:07:20,310 --> 00:07:15,790
were wearing is it to look at the

110
00:07:21,780 --> 00:07:20,320
of the last update because it indicates

111
00:07:25,140 --> 00:07:21,790
that it's not going to work for every

112
00:07:27,000 --> 00:07:25,150
tumor and so the chance is it would

113
00:07:30,780 --> 00:07:27,010

actually fit into a clinical work male

114

00:07:33,510 --> 00:07:30,790

scenario the tumors excised you'd have a

115

00:07:36,000 --> 00:07:33,520

chance to quickly look at impress on was

116

00:07:37,740 --> 00:07:36,010

going to be effective in increasing the

117

00:07:38,940 --> 00:07:37,750

uptake of the chemotherapy and then

118

00:07:45,540 --> 00:07:38,950

determine where they would be useful for

119

00:07:46,740 --> 00:07:45,550

that particular you know patient yes how

120

00:07:49,170 --> 00:07:46,750

do you control for the effect of

121

00:07:52,170 --> 00:07:49,180

intention here how do you know that I

122

00:07:53,629 --> 00:07:52,180

result so due to infrasound and not the

123

00:08:01,159 --> 00:07:53,639

intention of the

124

00:08:03,589 --> 00:08:01,169

experiment I ought to think because we

125

00:08:06,170 --> 00:08:03,599

we have I got to think if we did

126

00:08:07,790 --> 00:08:06,180

blinding on these experiments we you

127

00:08:09,469 --> 00:08:07,800

know these these particular set of

128

00:08:11,260 --> 00:08:09,479

experiments have grown out of many years

129

00:08:14,929 --> 00:08:11,270

of working with chi gong practitioners

130

00:08:16,730 --> 00:08:14,939

where we have blinding up the yin-yang

131

00:08:19,700 --> 00:08:16,740

and we have random number generators

132

00:08:24,019 --> 00:08:19,710

devised just to place the cells and

133

00:08:28,100 --> 00:08:24,029

maintain the incubators and I want I

134

00:08:32,149 --> 00:08:28,110

want to say that we did not align these

135

00:08:34,969 --> 00:08:32,159

experiments our control condition was in

136

00:08:40,069 --> 00:08:34,979

the environmental chamber at the same

137

00:08:42,800 --> 00:08:40,079

time but away from there was actually we

138

00:08:44,840 --> 00:08:42,810

had two generators one turned on one

139

00:08:47,120 --> 00:08:44,850

turn off just to control there's a

140

00:08:49,670 --> 00:08:47,130

magnet inside of that trendy transducer

141

00:08:51,079 --> 00:08:49,680

head so we control for magnetism and we

142

00:08:55,040 --> 00:08:51,089

did not control for intention any