



# Aliens On Earth.com

Resources for those who are stranded here



[UFOs](#) | [Paranormal](#) | [Area 51](#)  
[People](#) | [Places](#) | [Random](#)  
[Top 100](#) | [What's New](#)  
[Catalog](#) | [New Books](#)

Search... for keyword(s)

in Page Titles

Our Bookstore  
is [OPEN](#)

[Mothership](#) -> [UFO](#) -> [Updates](#) -> [1999](#) -> [Jun](#) -> Here

## UFO UpDates Mailing List

### Re: \*U\* Map: North America 1947

From: Bob Young <[YoungBob2@aol.com](mailto:YoungBob2@aol.com)>  
Date: Fri, 4 Jun 1999 13:45:45 EDT  
Fwd Date: Fri, 04 Jun 1999 18:00:28 -0400  
Subject: Re: \*U\* Map: North America 1947

>Subj: Re: UFO UpDate: Re: \*U\* Map: North America 1947  
>Date: 6/4/99 4:07:58 AM Eastern Daylight Time  
>From: [larryhat@jps.net](mailto:larryhat@jps.net) (Larry Hatch)  
>To: [updates@globalserve.net](mailto:updates@globalserve.net) (UFO UpDates - Toronto), [YoungBob2@aol.com](mailto:YoungBob2@aol.com)

Larry, All:

>>From: Bob Young <[YoungBob2@aol.com](mailto:YoungBob2@aol.com)>  
>>Date: Wed, 2 Jun 1999 15:01:45 EDT  
>>Subject: \*U\* Map: North America 1947  
>>To: [updates@globalserve.net](mailto:updates@globalserve.net)

>>Sidereal Sightings Histogram.

<snip>

>That's where I goofed, I'm off by a good hour of R.A., even though  
>the data seems centered around 20 hours RA.

>>The galactic center is not in Capricorn, it is at 17H 45.7m  
>>Right Ascension, -29 deg Declination, two Zodiacal signs to the  
>>west, in Scorpio.

Actually, you were three hours off in Right Ascension

>>But, again, for this peak of reports I suggest an Observer  
>>Effect. The jump in sightings you point to undoubtedly comes  
>>from reports in early August, during the summer months when  
>>folks are outdoors and when it gets dark by 9 P.M.

>Bob: I ran the same routine with data from all months except  
>August. I got essentially the same curve. -LH

Was there an increase in sightings at other times when the  
galactic center was highest, for example 1 A.M. in early May or  
4 A.M. in early March? I also wonder whether an examination of  
sightings from Australia where the galactic center can be nearly  
directly overhead, Sydney for example is about 35 degrees South,  
shows anything?

>I'm sure there is some seasonal effect. Apparently there  
>is some other effect as well.

How about an increase in daylight sightings at times when the  
galactic center is high, this might eliminate seasonal effects  
because these would be at other times of the year?

I would very much like to read the complete paper from the SSE  
meeting. Can you point me in the right direction or send a copy  
or scan to me directly?

Clear skies,  
Bob Young

Search for other documents to/from: [youngbob2](#)

---

[ [Next Message](#) | [Previous Message](#) | [This Day's Messages](#) ]  
[ [This Month's Index](#) | [UFO UpDates Main Index](#) | [MUFON Ontario](#) ]

**UFO UpDates - Toronto - [updates@globalserve.net](mailto:updates@globalserve.net)**  
Operated by Errol Bruce-Knapp - ++ 416-696-0304

A Hand-Operated E-Mail Subscription Service for the Study of UFO Related Phenomena.  
To subscribe please send your first and last name to [updates@globalserve.net](mailto:updates@globalserve.net)  
Message submissions should be sent to the same address.

---

[ [UFO Topics](#) | [People](#) | [Ufomind What's New](#) | [Ufomind Top Level](#) ]

**To find this message again in the future...**  
Link it to the appropriate [Ufologist](#) or [UFO Topic](#) page.

Archived as a public service by [Area 51 Research Center](#) which is not responsible for content.  
Software by Glenn Campbell. Technical contact: [webmaster@ufomind.com](mailto:webmaster@ufomind.com)

Financial support for this web server is provided by the [Research Center Catalog](#).